This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
5	494	"6101606"	USPAT;	2004/07/22 13:04
		"6088804"	US-PGPUB;	
		"6006328"	EPO; JPO;	
		"5388211"	DERWENT;	
		"6609205"	IBM TDB	•
		"6484315"	_	
		"6415321"		
		"6269447"		•
		"5699403"		
		"5557742"		
		"5278901"		
		"5796942"		
1		"5798706 "		
		"5892903"		
		"5931946"		
		"5958015"		
		"5991881"		
		"6185689"		
		"6263444"		
		"6279113"		
		"6282546"		
		"6298445"		
		"6301668"		
	1	"6324656"		
		"6330562"		
1		"6343362"		
		"6347376"		
		"6359557"		
		"6363489"		
		"6370648"		
		"6408391"		
		"5892903"		
		"5136523"		
		"5278901"		
1		"5802320"		

6	392	(((("6101606") or ("6088804") or ("6006328") or ("5388211") or ("6609205") or ("6484315") or ("6415321") or ("6269447") or ("5599403") or ("5557742") or ("5798706") or ("5798706") or ("5892903") or ("5931946") or ("5958015") or ("5991881") or ("6185689") or ("6263444") or ("6279113") or ("6301668") or ("6324656") or ("6343362") or ("6343362") or ("6345957") or ("6363489") or ("635957") or ("6363489") or ("6370648") or ("5802320")).PN.) or ("6101606" "6088804" "6006328" "5388211" "6609205" "6484315" "6415321" "6269447" "5699403"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:12
		"5557742" "5278901" "5796942" "5798706" "5892903" "5931946" "5958015" "5991881" "6185689" "6263444" "6279113" "6282546" "6298445" "6301668" "6324656" "6330562" "6343362" "6347376" "6363489" "6370648"		
		"6408391" "5892903" "5136523" "5278901" "5802320") and 624620000110		
7	949675	"5802320")) and @ad<20000110 network or LAN or WWW or WAN or Internet .	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:06
8	8104011	secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:07
10	5185681	rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:12
11	9752476	construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:13

12	3915275	user or client or worker or person or subject or terminal or adminstrat\$5 or programmer	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:13
13	4750303	lexical or JAVA or basic or language or "operating system" or UNIX or HTML or exe	IBM_TDB USPAT; US-PGPUB;	2004/07/22 13:52
		or excut\$5 or window or apple or solaris or linux or macintosh or program or application	EPO; JPO; DERWENT; IBM_TDB	
14	7592003	code or element or command or menu or feature or function	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:30
15	9117714	identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:35
16	958583	database or list\$5 or file or spreadsheet	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:35
17	9903617	condition or traffic or action or procedur\$5 or status or exchang\$5 or transmission or transfer\$5 or function\$5 or program\$5 or task\$5 or email\$5 or messag\$5 or byt\$5 or bit or attachment or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:38
18	3422400	alert\$5 notif\$5 or alert\$5 or send\$5 or email\$5 or indicat\$5 or tell\$5 or respond\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:39
19	2557676	"only if" or limitation or meet or equal or met	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:40
20	138879	(network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:55
21	206067	(rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:00
22	1277839	intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:58
23	4750134	lexical or JAVA or basic or language or "operating system" or UNIX or HTML or excut\$5 or window or apple or solaris or linux or macintosh or program or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:59
24	198379	application (identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:05

0.5	T 205700	(2 ' 2 TD17D 1' 1	HCDAM.	2004/07/22 14 11
25	725720	(lexical or JAVA or basic or language or "operating system" or UNIX or HTML or excut\$5 or window or apple or solaris or	USPAT; US-PGPUB; EPO; JPO;	2004/07/22 14:11
		linux or macintosh or program or application) with (code or element or command or menu or feature or function)	DERWENT; IBM_TDB	
26	8	((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or	USPAT; US-PGPUB;	2004/07/22 14:23
		<pre>protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or</pre>	EPO; JPO; DERWENT; IBM TDB	
		query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5		
		or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or		
		terminal or adminstrat\$5 or programmer)) and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or		
		classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or		
		cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)) and ((lexical or JAVA or basic or language or "operating		
		system" or UNIX or HTML or excut\$5 or window or apple or solaris or linux or macintosh or program or application) with		
		<pre>(code or element or command or menu or feature or function))</pre>	HODAM.	2004/07/22 14:20
27	8	(((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or	USPAT; US-PGPUB; EPO; JPO;	
		block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or	DERWENT; IBM_TDB	
		make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting		
		or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer))		
		and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with		
		(intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)) and ((lexical or		
		JAVA or basic or language or "operating system" or UNIX or HTML or excut\$5 or		
		window or apple or solaris or linux or macintosh or program or application) with (code or element or command or menu or		
4	67	feature or function))) and @ad<20000110 (("6101606") or ("6088804") or ("6006328") or ("5388211") or ("6609205") or	USPAT; US-PGPUB;	2004/07/22 14:22
		("6484315") or ("6415321") or ("6269447") or ("5699403") or ("5557742") or ("5278901") or ("5796942") or ("5798706")	EPO; JPO; DERWENT; IBM TDB	
		or ("5892903") or ("5931946") or ("5958015") or ("5991881") or ("6185689")	TDM_TDD	
		or ("6263444") or ("6279113") or ("6282546") or ("6298445") or ("6301668") or ("6324656") or ("6330562") or		
		("6343362") or ("6347376") or ("6359557") or ("6363489") or ("6370648") or ("6408391") or ("5892903") or ("5136523")		
30	1184	or ("5278901") or ("5802320")).PN. 713/201.ccls.and @ad<20000110	USPAT;	2004/07/22 14:45
			US-PGPUB; EPO; JPO; DERWENT;	
			IBM TDB	

31	26063	((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:24
32	452	or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer)) (713/201.ccls.and @ad<20000110) and (((network or LAN or WWW or WAN or	USPAT; US-PGPUB;	2004/07/22 14:24
		Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer)))	EPO; JPO; DERWENT; IBM_TDB	
33	220940	GUI or template or "user interface"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 14:25
35	81	((713/201.ccls.and @ad<20000110) and (((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer))) and (GUI or template or "user interface") and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:28
36	81	((713/201.ccls.and @ad<20000110) and (((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer))) and (GUI or template or "user interface") and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or invad\$5 or invalid\$5 or function) and (rule or proxy\$5 or parameter\$ or law or code or setting or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:32
		query\$5 or featur\$5)		

	1 1 1 1 1 1 1 1	/ - 1505 1 - 105	HCDAM.	2004/07/22 14:34
37	144213	<pre>(notif\$5 or alert\$5 or send\$5 or email\$5 or indicat\$5 or tell\$5 or respond\$5) same (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 14:34
38	55	(((713/201.ccls.and @ad<20000110) and (((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer))) and (GUI or template or "user interface") and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)) and (code or element or command or menu or feature or function) and (rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5)) and ((notif\$5 or alert\$5 or send\$5 or email\$5 or indicat\$5 or tell\$5 or respond\$5) same (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or intrud\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:35
39	451588	invad\$5)) intrus\$.ab. or network.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 14:35
40	35	((((713/201.ccls.and @ad<20000110) and (((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer)))) and (GUI or template or "user interface") and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)) and (code or element or command or menu or feature or function) and (rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5)) and ((notif\$5 or alert\$5 or send\$5 or email\$5 or indicat\$5 or tell\$5 or respond\$5) same (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or indicat\$5 or tell\$5 or respond\$5) same (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or inval\$5 or inv	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:36

41	7	(((((713/201.ccls.and @ad<20000110) and	USPAT;	2004/07/22 14:36
		(((network or LAN or WWW or WAN or	US-PGPUB;	
		Internet) with (secur\$5 or firewall or	EPO; JPO;	
		protect\$5 or guard\$5 or prevent\$5 or	DERWENT;	
		block\$5)) and ((rule or proxy\$5 or	IBM TDB	
		parameter\$ or law or code or setting or		
		query\$5 or featur\$5) with (construct\$5 or		
		make or making or design\$5 or fabricat\$5		
		or program\$5 or defin\$5 or set or setting	İ	1
		or configur\$5 or program\$5) with (user or		
		client or worker or person or subject or		
		terminal or adminstrat\$5 or programmer))))		
		and (GUI or template or "user interface")		
		and ((identif\$5 or determin\$5 or detect\$5		
		or sight\$5 or monitor\$5 or not\$5 or		
		classif\$5 or sens\$5 or calcul\$5) with		
		(intrus\$5 or break\$5 or virus or hacker or		
		cracker or unauthoriz\$5 or invalid\$5 or		
		intrud\$5 or invad\$5)) and (code or		
		element or command or menu or feature or		1
		function) and (rule or proxy\$5 or		
İ		parameter\$ or law or code or setting or	-	
		query\$5 or featur\$5)) and ((notif\$5 or		
İ		alert\$5 or send\$5 or email\$5 or indicat\$5	1	
		or tell\$5 or respond\$5) same (intrus\$5 or		
		break\$5 or virus or hacker or cracker or	I	
ļ		unauthoriz\$5 or invalid\$5 or intrud\$5 or		
İ		invad\$5))) and (intrus\$.ab. or		
		network.ab.)) and (((("6101606") or		i
		("6088804") or ("6006328") or ("5388211")		
		or ("6609205") or ("6484315") or		
- 1		("6415321") or ("6269447") or ("5699403")		
		or ("5557742") or ("5278901") or		
1		("5796942") or ("5798706") or ("5892903")		
ł		or ("5931946") or ("5958015") or		
l		("5991881") or ("6185689") or ("6263444")		
		or ("6279113") or ("6282546") or		
		("6298445") or ("6301668") or ("6324656")	1	
		or ("6330562") or ("6343362") or		
		("6347376") or ("6359557") or ("6363489")		
		or ("6370648") or ("6408391") or		
		("5892903") or ("5136523") or ("5278901")		
		or ("5802320")).PN.) or ("6101606"		
ļ		"6088804"		
		"6006328"		
ł		"5388211"		
		"6609205" "6404215"		
1		"6484315"		
		"6415321"		1
		"6269447"		
		"5699403"		1
		"5557742"		
		"5278901"		
		"5796942"		
		"5798706"		
		"5892903"		
İ		"5931946"		
		"5951946" "5958015"		
		"5991881" "6105 600"		
		"6185689"		
		"6263444"		
		"6279113"		
		"6282546"		
		"6298445"		
		"6301668"		
		"6324656"		
		"6330562"		
		"6343362"		
		"6347376"		
		"6359557"		
1		"6363489"		
		"6370648"	1	
!		1 0 0 4 0 0 2 0 1 0		
earch His	tory 7	1"6408391" /22/04 4:19:23 PM Page 7		
earch His	tory 7	"6408391" 727682903" Page 7		
	tory 7 ST\Worksp	''6408391" 23892953"9:23 PM Page 7 aces \2351111", wsp ''5278901"		

42	32	5796942.URPN.	USPAT	2004/07/22 14:45
43	27	5796942.URPN. and @ad<20000110	USPAT;	2004/07/22 14:45
			US-PGPUB;	
i			EPO; JPO;	
			DERWENT;	
			IBM TDB	
44	15	(5796942.URPN. and @ad<20000110) and (GUI	USPĀT;	2004/07/22 15:35
		or template or "user interface")	US-PGPUB;	
		-	EPO; JPO;	
			DERWENT;	
1			IBM TDB	
45	0	6473800.URPN.	USPAT	2004/07/22 14:51
46	2	("6738908").PN.	USPAT;	2004/07/22 15:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	